

Nierenkolik – Steinaustreibung mittels «Medical Expulsive Therapy» (MET)

Schweiz Med Forum. 2012;12(13):279–81.

Colique néphrétique – élimination du calcul par «Medical Expulsive Therapy» (MET)

Forum Med Suisse. 2012;12(13):279–81.

Literatur (Online-Version) / Références (online version)

- 1 Canda AE, Turna B, Cinar GM, Nazli O. Physiology and pharmacology of the human ureter: Basis for current and future treatments. *Urol Int.* 2007;78:289–98.
- 2 Gaudio KM, Siegel NJ, Hayslett JP, Kashgarian M. Renal perfusion and intratubular pressure during ureteral occlusion in the rat. *Am J Physiol.* 1980;238:F205–F209.
- 3 Ichikawa I. Evidence for altered glomerular hemodynamics during acute nephron obstruction. *Am J Physiol.* 1982;242:F580–F585.
- 4 B. Hess. Medikamentöse Therapie der akuten Nierenkolik – es gibt mehr als Schwemmen und Buscopan®... *Schweiz Rundschau Med Prax.* 2011;100:293–7.
- 5 Hollingsworth JM, Rogers MAM, Kaufman SR, et al. Medical therapy to facilitate urinary stone passage: a meta-analysis. *Lancet.* 2006;368:1171–9.
- 6 Laird JM, Cervero F. Effects of metamizole on nociceptive responses to stimulation of the ureter and on ureter motility in anaesthetised rats. *Inflamm Res.* 1996;45:150–4.
- 7 Holdgate A, Oh CM. Is there a role for antimuscarinics in renal colic? A randomized controlled trial. *J Urol.* 2005;174:572–5.
- 8 Ye Z, Yang H, Li H, et al. A multicentre, prospective, randomized trial: comparative effect of tamsulosin and nifedipine in medical expulsive therapy for distal ureteric stones with renal colic. *BJU Int* 2010;108:276–9.
- 9 Picozzi SCM, Marengi C, Casellato S, Ricci C, Gaeta M, Carmignani L. Management of ureteral calculi and medical expulsive therapy in emergency departments. *J Emerg Trauma Shock.* 2011;4:70–6.
- 10 Hermanns Th, Sauer mann P, Rufibach K, Frauenfelder Th, Sulser T, Strebel RT. Is there a role for tamsulosin in the treatment of distal ureteral stones of 7 mm or less? Results of a randomised, double-blind, placebo-controlled trial. *Eur Urol.* 2009;56:407–12.
- 11 Yenciolek F, Erturhan S, Canguven O, Koyuncu H, Erol B, Sarica K. Does tamsulosin change the management of proximally located ureteral stones? *Urol Res.* 2010;38:196–9.
- 12 Borghi L, Meschi T, Amato F et al. Nifedipine and methylprednisolone in facilitating ureteral stone passage: a randomized, double-blind, placebo-controlled study. *J Urol.* 1994;152:1095–8.
- 13 Porpiglia F, Vaccino D, Billia M et al. Corticosteroids and tamsulosin in the medical expulsive therapy for symptomatic distal ureter stones: single drug or association. *Eur Urol.* 2006;50:339–44.
- 14 Foster MC, Upsdell SM, O'Reilly PH. Urological Myths. *BMJ.* 1990;301:1421–3.
- 15 Worster A, Richards C. Fluids and diuretics for acute ureteric colic. *Cochrane Database Syst Rev.* 2005; CD004926.
- 16 Springhart WP, Marguet CG, Sur RL, et al. Forced versus minimal intravenous hydration in the management of acute renal colic: a randomized trial. *J Endourol.* 2006;20:713–6.
- 17 Teichman JMH. Acute renal colic from ureteral calculus. *N Engl J Med.* 2004;350:684–93.