

Schwere symptomatische Aortenstenose – Therapiemöglichkeiten im Zeitalter der interventionellen Klappenimplantation

Schweiz Med Forum. 2012;12(14/15):304–10.

Sténose aortique symptomatique sévère – Options thérapeutiques à l'ère de l'implantation valvulaire interventionnelle

Forum Med Suisse. 2012;12(14/15):304–10.

Literatur / Références

- 1 Iung B, Baron G, Butchart EG, Delahaye F, Gohlke-Bärwolf C, Levang OV, et al. A prospective survey of patients with valvular heart disease in Europe: The Euro Heart Survey on Valvular Heart Disease. *Eur Heart J.* 2003;24(13):1231–43.
- 2 Roberts WC, Ko JM. Frequency by decades of unicuspido, bicuspid, and tricuspid aortic valves in adults having isolated aortic valve replacement for aortic stenosis, with or without associated aortic regurgitation. *Circulation.* 2005;111(7):920–5.
- 3 Feggiano P, Ghizzoni G, Sorgato A, Sabatini T, Simoncelli U, Gardini A, et al. Rate of progression of valvular aortic stenosis in adults. *Am J Cardiol.* 1992;70(2):229–33.
- 4 Ross J Jr, Braunwald E. Aortic stenosis. *Circulation.* 1968;38(1 Suppl):61–7.
- 5 Baumgartner H, Hung J, Barrejo J, Chambers JB, Evangelista A, Griffin BP, et al. Echocardiographic assessment of valve stenosis: EAE/ASE recommendations for clinical practice. *J Am Soc Echocardiogr.* 2009;22(1):1–23.
- 6 Vahanian A, Baumgartner H, Bax J, Butchart E, Dion R, Filippatos G, et al. Guidelines on the management of valvular heart disease. *Eur Heart J.* 2007;28(2):230–68.
- 7 Cowell SJ, Newby DE, Prescott RJ, Bloomfield P, Reid J, Northridge DB, et al. A randomized trial of intensive lipid-lowering therapy in calcific aortic stenosis. *N Engl J Med.* 2005;352(23):2389–97.
- 8 Rossebo AB, Pedersen TR, Boman K, Brudi P, Chambers JB, Egstrup K, et al. N Engl J Med. 2008;359(13):1343–56.
- 9 Eltchaninoff H, Cribier A, Tron C, Anselme F, Kroning R, Soyer R, et al. Balloon aortic valvuloplasty in elderly patients at high risk for surgery, or inoperable. Immediate and mid-term results. *Eur Heart J.* 1995;16(8):1079–84.
- 10 Otto CM, Mickel MC, Kennedy JW, Alderman EL, Bashore TM, Bock PC et al. Three-year outcome after balloon aortic valvuloplasty. Insights into prognosis of valvular aortic stenosis. *Circulation.* 1994;89(2):642–50.
- 11 Kavidal P, Bergström R, Hörite L, Stahle E. Observed and relative survival after aortic valve replacement. *J Am Coll Cardiol.* 2000;35(3):747–56.
- 12 O'Brien SM, Shahian DM, Filardo G, Ferraris VA, Haan CK, Rich JB, et al. The Society of thoracic surgeons 2008 cardiac surgery risk Models: Part 2 – Isolated valve surgery. *Ann Thorac Surg.* 2009;88(1 Suppl):S23–42.
- 13 Iung B, Cachier A, Baron G, Messika-Zeitoun G, Delahaye F, Tornos P, et al. Decision-making in elderly patients with severe aortic stenosis: why are so many denied surgery? *Eur Heart J.* 2005;26(24):2714–20.
- 14 Cribier A, Eltchaninoff H, Bash A, Borenstein N, Tron C, Bauer F, et al. Percutaneous transcatheter implantation of an aortic valve prosthesis for calcific aortic stenosis: first human case description. *Circulation.* 2002;106(24):3006–8.
- 15 Vahanian A, Alfieri O, Al-Attar N, Antunes M, Bax J, Cormier B, et al. Transcatheter valve implantation for patients with aortic stenosis: a position statement from the European Association of Cardio-Thoracic Surgery (EACTS) and the European Society of Cardiology (ESC), in collaboration with the European Association of Percutaneous Cardiovascular Interventions (EAPCI). *Eur Heart J.* 2008;29(11):1463–70.
- 16 Smith CR, Leon MB, Mack MJ, Miller DC, Moses JW, Svensson LG, et al. Transcatheter versus surgical aortic-valve replacement in high-risk patients. *N Engl J Med.* 2011;364(23):2187–98.
- 17 Smith CR, Leon MB, Mack MJ, Miller DC, Moses JW, Svensson LG, et al. Transcatheter aortic-valve implantation for aortic stenosis in patients who cannot undergo surgery. *N Engl J Med.* 2010;363(17):1597–607.
- 18 Moat NE, Ludman P, De Belder MA, Bridgewater B, Cunningham AD, Young CP, et al. Long-term outcomes after transcatheter aortic valve implantation in high-risk patients with severe aortic stenosis: The U.K. TAVI (United Kingdom Transcatheter Aortic Valve Implantation) Registry. *J Am Coll Cardiol.* 2011;58(20):2130–8.

- 19 Piazza N, Grube E, Gerckens U, den Heijer P, Linke A, Luhu O, et al. Procedural and 30-day outcomes following transcatheter aortic valve implantation using the third generation (18 Fr) corevalve reviving system: results from the multicentre, expanded evaluation registry 1-year following CE mark approval. *EuroIntervention*. 2008;4(2):242–9.
- 20 Rodés-Cabau J, Webb JG, Cheung A, Ye J, Dumont E, Feindel CM, et al. Transcatheter aortic valve implantation for the treatment of severe symptomatic aortic stenosis in patients at very high or prohibitive surgical risk: acute and late outcomes of the multicenter Canadian experience. *J Am Coll Cardiol*. 2010;55(11):1080–90.
- 21 Gammie JS, Krowsoski LS, Brown JM, Odonkor PN, Young CA, Santos MJ, et al. Aortic Valve Bypass Surgery: Midterm Clinical Outcomes in a High-Risk Aortic Stenosis Population. *Circulation* 2008;118(14):1460–1466.
- 22 Thourani VH, Keeling WB, Guyton RA, Dara A, Hurst SD, Lattouf OM. Outcomes of off-pump aortic valve bypass surgery for the relief of aortic stenosis in adults. *Ann Thorac Surg*. 2011;91(1):131–6.