

Primäre und sekundäre Lebertumore: Techniken der Leberresektion

Tumeurs hépatiques primitives et secondaires: techniques de résection hépatique

Literatur / Références

1. Bosch FX, Ribes J, Diaz M, et al. Primary liver cancer: worldwide incidence and trends. *Gastroenterology* 2004; 127(5 Suppl 1):S5–S16.
2. Scheele J, Stangl R, Altendorf-Hofmann A. Hepatic metastases from colorectal carcinoma: impact of surgical resection on the natural history. *Br J Surg* 1990; 77(11):1241–6.
3. Blaker H, Hofmann WJ, Theuer D, et al. [Pathohistological findings in liver metastases]. *Radiologe* 2001; 41(1):1–7.
4. krebssliga.ch [homepage on the Internet]. Nationales Institut für Krebs epidemiologie und -Registrierung NICER c2005–2009.
5. Di Bisceglie AM. Hepatitis C and hepatocellular carcinoma. *Semin Liver Dis* 1995; 15(1):64–9.
6. Bismuth H, Chiche L, Castaing D. Surgical treatment of hepatocellular carcinomas in noncirrhotic liver: experience with 68 liver resections. *World J Surg* 1995; 19(1):35–41.
7. Fong Y, Sun RL, Jarnagin W, et al. An analysis of 412 cases of hepatocellular carcinoma at a Western center. *Ann Surg* 1999; 229(6):790–9; discussion 799–800.
8. Dupont-Bierre E, Compagnon P, Raoul JL, et al. Resection of hepatocellular carcinoma in noncirrhotic liver: analysis of risk factors for survival. *J Am Coll Surg* 2005; 201(5):663–70.
9. El-Serag HB, Davila JA. Is fibrolamellar carcinoma different from hepatocellular carcinoma? A US population-based study. *Hepatology* 2004; 39(3):798–803.
10. Belghiti J, Panis Y, Farges O, et al. Intrahepatic recurrence after resection of hepatocellular carcinoma complicating cirrhosis. *Ann Surg* 1991; 214(2):114–7.
11. Mullin EJ, Metcalfe MS, Maddern GJ. How much liver resection is too much? *Am J Surg* 2005; 190(1):87–97.
12. Mazzaferro V, Chun YS, Poon RT, et al. Liver transplantation for hepatocellular carcinoma. *Ann Surg Oncol* 2008; 15(4):1001–7.
13. Mazzaferro V, Regalia E, Doci R, et al. Liver transplantation for the treatment of small hepatocellular carcinomas in patients with cirrhosis. *N Engl J Med* 1996; 334(11):693–9.
14. Yao FY, Ferrell L, Bass NM, et al. Liver transplantation for hepatocellular carcinoma: expansion of the tumor size limits does not adversely impact survival. *Hepatology* 2001; 33(6):1394–403.
15. Clavien PA, Lesurtel M, Bossuyt PM, et al. Recommendations for liver transplantation for hepatocellular carcinoma: an international consensus conference report. *Lancet Oncol* 2012; 13(1):e11–22.
16. Manfredi S, Lepage C, Hatem C, et al. Epidemiology and management of liver metastases from colorectal cancer. *Ann Surg* 2006; 244(2):254–9.
17. Bentrem DJ, Dematteo RP, Blumgart LH. Surgical therapy for metastatic disease to the liver. *Annu Rev Med* 2005; 56:139–56.
18. Jonas S, Thelen A, Benckert C, et al. Extended resections of liver metastases from colorectal cancer. *World J Surg* 2007; 31(3):511–21.
19. Abdalla EK, Vauthey JN, Ellis LM, et al. Recurrence and outcomes following hepatic resection, radiofrequency ablation, and combined resection/ablation for colorectal liver metastases. *Ann Surg* 2004; 239(6):818–25; discussion 825–7.
20. Adam R, Pascal G, Azoulay D, et al. Liver resection for colorectal metastases: the third hepatectomy. *Ann Surg* 2003; 238(6):871–83; discussion 883–4.
21. Petrowsky H, Gonen M, Jarnagin W, et al. Second liver resections are safe and effective treatment for recurrent hepatic metastases from colorectal cancer: a bi-institutional analysis. *Ann Surg* 2002; 235(6):863–71.
22. Fong Y, Fortner J, Sun RL, et al. Clinical score for predicting recurrence after hepatic resection for metastatic colorectal cancer: analysis of 1001 consecutive cases. *Ann Surg* 1999; 230(3):309–18; discussion 318–21.
23. Kobayashi K, Kawamura M, Ishihara T. Surgical treatment for both pulmonary and hepatic metastases from colorectal cancer. *J Thorac Cardiovasc Surg* 1999; 118(6):1090–6.
24. Jaeck D, Nakano H, Bachellier P, et al. Significance of hepatic pedicle lymph node involvement in patients with colorectal liver metastases: a prospective study. *Ann Surg Oncol* 2002; 9(5):430–8.

25. Mentha G, Roth AD, Terraz S, et al. 'Liver first' approach in the treatment of colorectal cancer with synchronous liver metastases. *Dig Surg* 2008; 25(6):430–5.
26. Strasberg SM. Nomenclature of hepatic anatomy and resections: a review of the Brisbane 2000 system. *J Hepatobiliary Pancreat Surg* 2005; 12(5):351–5.
27. Beck-Schimmer B, Breitenstein S, Urech S, et al. A randomized controlled trial on pharmacological preconditioning in liver surgery using a volatile anesthetic. *Ann Surg* 2008; 248(6):909–18.
28. Heinrich S, Lang H. Liver metastases from colorectal cancer: Technique of liver resection. *J Surg Oncol* 2012.
29. Balzan S, Belghiti J, Farges O, et al. The "50–50 criteria" on postoperative day 5: an accurate predictor of liver failure and death after hepatectomy. *Ann Surg* 2005; 242(6):824–8, discussion 828–9.
30. Bruix J, Sherman M, Llovet JM, et al. Clinical management of hepatocellular carcinoma. Conclusions of the Barcelona-2000 EASL conference. European Association for the Study of the Liver. *J Hepatol* 2001; 35(3):421–30.
31. Clavien PA, Petrowsky H, DeOliveira ML, et al. Strategies for safer liver surgery and partial liver transplantation. *N Engl J Med* 2007; 356(15):1545–59.
32. Broering DC, Hillert C, Krupski G, et al. Portal vein embolization vs. portal vein ligation for induction of hypertrophy of the future liver remnant. *J Gastrointest Surg* 2002; 6(6):905–13; discussion 913.
33. Truant S, Oberlin O, Sergent G, et al. Remnant liver volume to body weight ratio $> \text{ or } = 0.5\%$: A new cut-off to estimate postoperative risks after extended resection in noncirrhotic liver. *J Am Coll Surg* 2007; 204(1):22–33.
34. Tsai S, Marques HP, de Jong MC, et al. Two-stage strategy for patients with extensive bilateral colorectal liver metastases. *HPB (Oxford)* 2010; 12(4):262–9.
35. Wicherts DA, Miller R, de Haas RJ, et al. Long-term results of two-stage hepatectomy for irresectable colorectal cancer liver metastases. *Ann Surg* 2008; 248(6):994–1005.
36. Schnitzbauer AA, Lang SA, Goessmann H, et al. Right portal vein ligation combined with in situ splitting induces rapid left lateral liver lobe hypertrophy enabling 2–staged extended right hepatic resection in small-for-size settings. *Ann Surg* 2012; 255(3):405–14.
37. de Santibanes E, Clavien PA. Playing Play-Doh to prevent postoperative liver failure: the "ALPPS" approach. *Ann Surg* 2012; 255(3):415–7.
38. Clavien PA, Lillemoie KD. Note from the editors on the ALPPS e-Letters-to-the-Editor. *Ann Surg* 2012; 256(3):552.