

## Management der postpartalen Blutung (PPH): Der «D-A-CH»-Algorithmus

## Traitement de l'hémorragie postpartale: Algorithme «D-A-CH»

### Literatur / Références

- 1 Bateman BT, Berman MF, Riley LE, Leffert LR. The epidemiology of postpartum hemorrhage in a large, nationwide sample of deliveries. *Anesth Analg* 2010;110(5):1368–73.
- 2 Callaghan WM, Kuklina EV, Berg CJ. Trends in postpartum hemorrhage: United States, 1994–2006. *Am J Obstet Gynecol* 2010;202(4):353.e1–6.
- 3 Knight M, Callaghan WM, Berg C, Alexander S, Bouvier-Colle MH, Ford JB, et al. Trends in postpartum hemorrhage in high resource countries: a review and recommendations from the International Postpartum Hemorrhage Collaborative Group. *BMC Pregnancy Childbirth* 2009;9:55–65.
- 4 Samangaya R, Pennington R, Vause S. Factors relating to a rising incidence of major postpartum haemorrhage. *BJOG* 2010;117(3):370–1.
- 5 Kramer MS, Dahhou M, Vallerand D, Liston R, Joseph KS. Risk factors for postpartum haemorrhage: can we explain the recent temporal increase? *J Obstet Gynaecol Can* 2011;33(8):810–9.
- 6 Buchanan SL, Patterson JA, Roberts CL, Morris JM, Ford JB. Trends and morbidity associated with oxytocin use in labour in nulliparas at term. *Aust N Z J Obstet Gynaecol* 2012;52(2):173–8.
- 7 Khan KS, Wojdyla D, Say L, Gülmezoglu AM, Van Look PF. WHO analysis of causes of maternal death: a systematic review. *Lancet* 2006;367(9516):1066–74.
- 8 Haeri S, Dildy GA 3rd. Maternal mortality from hemorrhage. *Semin Perinatol* 2012;36(1):48–55.
- 9 World Health Organisation. The World Health Report 2005: make every mother and child count. ([www.who.int/whr/2005/whr2005\\_en.pdf](http://www.who.int/whr/2005/whr2005_en.pdf))
- 10 Ronsmans C, Graham WJ; Lancet Maternal Survival Series steering group. Maternal mortality: who, when, where, and why. *Lancet* 2006;368(9542):1189–200.
- 11 Mousa HA, Walkinshaw S. Major postpartum hemorrhage. *Curr Opin Obstet Gynecol* 2001;13(6):595–603.
- 12 Waterstone M, Bewley S, Wolfe C. Incidence and predictors of severe obstetric morbidity: case-control study. *BMJ* 2001;322(7294):1089–93.
- 12 Abou Zahr C. Global burden of maternal death and disability. *Br Med Bull* 2003;67:1–11.
- 13 Henrich W, Surbek D, Kainer F, Grottko O, Hopp H, Kiesewetter H, et al. Expert panel recommendation: diagnosis and treatment of peripartum bleeding. *J Perinat Med* 2008;36(6):467–78.
- 14 AWMF-Leitlinie Nr. 015/063. Diagnostik und Therapie peripartaler Blutungen. AWMF online ([www.awmf.org/uploads/tx\\_szleitlinien/015-063l\\_S1\\_Peripartale\\_Blutungen.pdf](http://www.awmf.org/uploads/tx_szleitlinien/015-063l_S1_Peripartale_Blutungen.pdf)).
- 15 Carroli G, Cuesta C, Abalos E, Gulmezoglu AM. Epidemiology of postpartum haemorrhage: a systematic review. *Best Pract Res Clin Obstet Gynaecol* 2008;22(6):999–1012.
- 16 Bose P, Regan F, Paterson-Brown S. Improving the accuracy of estimated blood loss at obstetric haemorrhage using clinical reconstructions. *BJOG* 2006;113(8):919–24.
- 17 Rath W, Schneider M. Definitionen und Diagnostik postpartaler Blutungen (PPH): Unterschätzte Probleme! *Geburtsh Frauenheilk* 2010;70(1):36–40.
- 18 Rath W, Bohlmann MK. Postpartale Hämorrhagie – Prävention und Therapie. *Der Gynäkologe* 2011;44(7):538–48.
- 19 Farquhar C, Sadler L, Masson V, Bohm G, Haslam A. Beyond the numbers: classifying contributory factors and potentially avoidable maternal deaths in New Zealand, 2006–2009. *Am J Obstet Gynecol* 2011;205(4):331.e1–8.
- 20 Mukherjee S, Arulkumaran S. Post-partum haemorrhage. *Obstet Gynaecol Reprod Med* 2009;19(5):121–6.
- 21 RCOG Green –top Guideline No. 52: Prevention and management of postpartum haemorrhage ([www.rcog.org.uk/files/rcog-corp/GT52PostpartumHaemorrhage0411.pdf](http://www.rcog.org.uk/files/rcog-corp/GT52PostpartumHaemorrhage0411.pdf)).
- 22 Driessen M, Bouvier-Colle MH, Dupont C, Khoshnood B, Rudigoz RC, Deneux-Tharaux C; Pithagore6 Group. Postpartum hemorrhage resulting from uterine atony after vaginal delivery. *Obstet Gynecol* 2011;117(1):21–31.
- 23 Dupont C, Touzet S, Colin C, Deneux-Tharaux C, Rabilloud M, Clement HJ, et al.; Groupe PITHAGORE 6. Incidence and management of postpartum haemorrhage following the dissemination of guidelines in a network of 16 maternity units in France. *Int J Obstet Anesth* 2009;18(4):320–7.
- 24 Upadhyay K, Scholefield H. Risk management and medicolegal issues related to postpartum haemorrhage. *Best Pract Res Clin Obstet Gynaecol* 2008;22(6):1149–69.
- 25 Shields LE, Smalarz K, Reffigee L, Mugg S, Burdumy TJ, Propst M. Comprehensive maternal hemorrhage protocols improve patient safety and reduce utilization of blood products. *Am J Obstet Gynecol* 2011;205(4):368.e1–8.
- 26 Dupont C, Deneux-Tharaux C, Touzet S, Colin C, Bouvier-Colle MH, Lansac J, et al.; Pithagoras6 Group. Clinical audit: a useful tool for reducing severe postpartum haemorrhages? *Int J Qual Health Care* 2011;23(5):583–9.
- 27 Helmer H. Leitlinie zum Management der postpartalen Blutung. *Speculum* 2008;26(3):15–20.

- 28 Surbek D, Irion O, Hess T, Drack G. Aktuelle Therapieoptionen der postpartalen Hämorrhagie. Expertenbrief No. 26. Kommission Qualitätssicherung – Schweizerische Gesellschaft für Gynäkologie und Geburtshilfe, 2009 ([http://sggg.ch/files/Expertenbrief\\_No\\_26.pdf](http://sggg.ch/files/Expertenbrief_No_26.pdf)).
- 29 Rath W, Helmer H, Beinder E. Postpartale Blutungen (PPH). Leitlinien in Deutschland, Österreich und der Schweiz – Gemeinsamkeiten und Differenzen. *Geburtsh Frauenheilk* 2009;69(9):866–71.
- 30 Schorn MN. Measurement of blood loss: review of the literature. *J Midwifery Womens Health* 2010;55(1):20–7.
- 31 Prata N, Gerdtz C. Measurement of postpartum blood loss. *BMJ* 2010;340:c555.
- 32 Al Kadri HM, Al Anazi BK, Tamim HM. Visual estimation versus gravimetric measurement of postpartum blood loss: a prospective cohort study. *Arch Gynecol Obstet* 2011;283(6):1207–13.
- 33 Thomas JS, Koh SH, Cooper GM. Haemodynamic effects of oxytocin given as i.v. bolus or infusion on women undergoing Caesarean section. *Br J Anaesth* 2007;98(1):116–9.
- 34 Mörtl MG, Friedrich S, Kraschl J, Wadsack C, Lang U, Schlembach D. Haemodynamic effects of carbetocin and oxytocin given as intravenous bolus on women undergoing caesarean delivery: a randomised trial. *BJOG* 2011;118(11):1349–56.
- 35 Bolliger D, Görlinger K, Tanaka KA. Pathophysiology and treatment of coagulopathy in massive hemorrhage and hemodilution. *Anesthesiology*. 2010;113(5):1205–19.
- 36 Hiipala ST, Myllylä GJ, Vahtera EM. Hemostatic factors and replacement of major blood loss with plasma-poor red cell concentrates. *Anesth Analg*. 1995;81(2):360–5.
- 37 ucloy-Bouthors AS, Jude B, Duhamel A, Broisin F, Huissod C, Keita-Meyer H, et al., for the EXADELI Study Group. High-dose tranexamic acid reduces blood loss in postpartum haemorrhage. *Crit Care* 2011;15(2):R117.
- 38 CRASH-2 trial collaborators, Shakur H, Roberts I, Bautista R, Caballero J, Coats T, Dewan Y, et al. Effects of tranexamic acid on death, vascular occlusive events, and blood transfusion in trauma patients with significant haemorrhage (CRASH-2): a randomised, placebo-controlled trial. *Lancet*. 2010;376(9734):23–32.
- 39 Shaz BH, Dente CJ, Harris RS, MacLeod JB, Hillyer CD. Transfusion management of trauma patients. *Anesth Analg* 2009;108(6):1760–8.
- 40 Charbit B, Mandelbrot L, Samain E, et al. The decrease of fibrinogen is an early predictor of the severity of postpartum hemorrhage. *J Thromb Haemost* 2007;5(2):266–73.
- 41 Cortet M, Deneux-Tharoux C, Dupont C, Colin C, Rudigoz RC, Bouvier-Colle MH, et al. Association between fibrinogen level and severity of postpartum haemorrhage: secondary analysis of a prospective trial. *Br J Anaesth* 2012;108(6):984–9.
- 42 James AH, McLintock C, Lockhart E. Postpartum hemorrhage: When uterotonics and sutures fail. *Am J Hematol* 2012;87 Suppl 1:S16–22.
- 43 Huissoud C, Carrabin N, Benchaib M, Fontaine O, Levrat A, Massignon D, et al. Coagulation assessment by rotation thrombelastometry in normal pregnancy. *Thromb Haemost* 2009;101(4):755–61.
- 44 Macafee BB, Campbell JPJ, Ashpole KK, Cox MM, Matthey FF, Acton LL, et al. Reference ranges for thromboelastography (TEG®) and traditional coagulation tests in term parturients undergoing caesarean section under spinal anaesthesia. *Anaesthesia* 2012;67(7):741–7.
- 45 Fries D, Innerhofer P, Perger P, Gütl M, Heil S, Hofmann N, et al. Gerinnungsmanagement bei traumatisch bedingter Massivblutung Empfehlungen der Arbeitsgruppe für perioperative Gerinnung der OGARI. *Anesthesiol Intensivmed Notfallmed Schmerzther* 2010;45(9):552–61.
- 46 Valeri CR, Feingold H, Cassidy G, Ragno G, Khuri S, Altschule MD. Hypothermia-induced reversible platelet dysfunction. *Ann Surg* 1987;205(2):175–81.
- 47 Cosgriff N, Moore EE, Sauaia A, Kenny-Moynihan M, Burch JM, Galloway B. Predicting life-threatening coagulopathy in the massively transfused trauma patient: hypothermia and acidosis revisited. *J Trauma* 1997;42(5):857–61.
- 48 Wolberg AS, Mang ZH, Monroe DM 3rd, Hoffman M. A systematic evaluation of the effect of temperature on coagulation enzyme activity and platelet function. *J Trauma* 2004;56(6):1221–28.
- 49 Aibar L, Aguilar MT, Puertas A, Valverde M. Bakri balloon for the management of postpartum haemorrhage. *Acta Obstet Gynecol Scand* 2012 Jul 4 [Epub ahead of print]
- 50 Forna F, Miles AM, Jamieson DJ. Emergency peripartum hysterectomy: a comparison of cesarean and postpartum hysterectomy. *Am J Obstet Gynecol* 2004;190(5):1440–4.
- 51 Lau WC, Fung HY, Rogers MS. Ten years experience of caesarean and postpartum hysterectomy in a teaching hospital in Hong Kong. *Eur J Obstet Gynecol Reprod Biol* 1997;74(2):133–7.
- 52 Roethlisberger M, Womastek I, Posch M, Husslein P, Pateisky N, Lehner R. Early postpartum hysterectomy: incidence and risk factors. *Acta Obstet Gynecol Scand* 2010;89(8):1040–4.
- 53 Rath W, Hackethal A, Bohlmann MK. Second-line treatment of postpartum haemorrhage (PPH). *Arch Gynecol Obstet* 2012;286(3):549–61.
- 54 Stocks G. Monitoring transfusion requirements in major obstetric haemorrhage: out with the old and in with the new? *Int J Obstet Anesth* 2011;20(4):275–8.
- 55 Armstrong S, Fernando R, Ashpole K, Simons R, Columb M. Assessment of coagulation in the obstetric population using ROTEM® thromboelastometry. *Int J Obstet Anesth* 2011;20(4):293–8.
- 56 Wilson AK, Martel MJ, Arsenault MY, Cargill YM, Delaney M, Daniels S, et al.; Society of Obstetricians and Gynaecologists of Canada. Maternal transport policy. *J Obstet Gynaecol Can* 2005;27(10):956–63.
- 57 Crofts JF, Draycott TJ, Winter C, Hunt LP, Akande VA. Change in knowledge of midwives and obstetricians following obstetric emergency training: a randomised controlled trial of local hospital, simulation centre and teamwork training. *BJOG* 2007;114(12):1534–41.
- 58 Meriën AE, van de Ven J, Mol BW, Houterman S, Oei SG. Multidisciplinary team training in a simulation setting for acute obstetric emergencies: a systematic review. *Obstet Gynecol* 2010;115(5):1021–31.