

«Less is more» oder: Könnten wir unseren Patienten Untersuchungen oder Behandlungen ersparen?

«Less is more» ou pouvons-nous épargner des investigations ou des traitements à nos patients?

Literatur / Références

- 1 Becker MC, Galla JM, Nissen SE. Left main trunk coronary artery dissection as a consequence of inaccurate coronary computed tomographic angiography. *Arch Intern Med.* 2011;171(7):698–701.
- 2 Lauer MS. Elements of danger - the case of medical imaging. *N Engl J Med.* 2009;361(9):841–3.
- 3 Cahir C, Fahey T, Teeling M, Teljeur C, Feely J, Bennett K. Potentially inappropriate prescribing and cost outcomes for older people: a national population study. *British journal of clinical pharmacology.* 2010;69(5):543–52.
- 4 Katz MH. Failing the acid test: benefits of proton pump inhibitors may not justify the risks for many users. *Arch Intern Med.* 2010;170(9):747–8.
- 5 USPSTF. Screening for coronary heart disease with electrocardiography: U.S. Preventive Services Task Force recommendation statement. *Ann Intern Med.* 2012;157(7):512–8.
- 6 Young LH, Wackers FJ, Chyun DA, Davey JA, Barrett EJ, Taillefer R, et al. Cardiac outcomes after screening for asymptomatic coronary artery disease in patients with type 2 diabetes: the DIAD study: a randomized controlled trial. *JAMA.* 2009;301(15):1547–55.
- 7 www.choosingwisely.org. ABIM-Foundation.
- 8 Laine C. High-value testing begins with a few simple questions. *Ann Intern Med.* 2012;156(2):162–3.
- 9 Jadad AR, To MJ, Emara M, Jones J. Consideration of multiple chronic diseases in randomized controlled trials. *JAMA.* 2011;306(24):2670–2.
- 10 Firmann M, Marques-Vidal P, Paccaud F, Mooser V, Rodondi N, Waeber G, et al. Prevalence, treatment and control of dyslipidaemia in Switzerland: still a long way to go. *Eur J Cardiovasc Prev Rehabil.* 2010;17(6):682–7.