

Postoperatives Delirium: Früherkennung, Prävention und Therapie

Délire postopératoire: diagnostic rapide, prévention et traitement

Literatur / Références

1. World Health Organization. ICD-10. [cited 2012 Mar 8]; Available from: <http://apps.who.int/classifications/icd10/browse/2010/en#/F05>.
2. McDaniel, M. and C. Brudney, Postoperative delirium: etiology and management. *Curr Opin Crit Care*, 2012. 18(4): p. 372–6.
3. Saager, L. and D.I. Sessler, Targeted prophylaxis of postoperative delirium. *Anesthesiology*, 2012. 116(5): p. 975–6.
4. Witlox, J., et al., Delirium in elderly patients and the risk of postdischarge mortality, institutionalization, and dementia: a meta-analysis. *Jama*, 2010. 304(4): p. 443–51.
5. Morandi, A., J.C. Jackson, and E.W. Ely, Delirium in the intensive care unit. *Int Rev Psychiatry*, 2009. 21(1): p. 43–58.
6. Steiner, L.A., Postoperative delirium. Part 1: pathophysiology and risk factors. *Eur J Anaesthesiol*, 2011. 28(9): p. 628–36.
7. Siegemund, M., et al., Postoperatives Delirium: Pathophysiologie und Diagnose (Teil 1). *Schweiz Med Forum*, 2011. 11(20): p. 354–357.
8. Steiner, L.A., Postoperative delirium. part 2: detection, prevention and treatment. *Eur J Anaesthesiol*, 2011. 28(10): p. 723–32.
9. Inouye, S.K., et al., A predictive model for delirium in hospitalized elderly medical patients based on admission characteristics. *Ann Intern Med*, 1993. 119(6): p. 474–81.
10. Kalisvaart, K.J., et al., Risk factors and prediction of postoperative delirium in elderly hip-surgery patients: implementation and validation of a medical risk factor model. *J Am Geriatr Soc*, 2006. 54(5): p. 817–22.
11. Marcantonio, E.R., et al., A clinical prediction rule for delirium after elective noncardiac surgery. *JAMA*, 1994. 271(2): p. 134–9.
12. Goldenberg, G., et al., Predicting post-operative delirium in elderly patients undergoing surgery for hip fracture. *Psychogeriatrics*, 2006. 6(2): p. 43–48.
13. Rudolph, J.L., et al., Derivation and validation of a preoperative prediction rule for delirium after cardiac surgery. *Circulation*, 2009. 119(2): p. 229–36.
14. Brown, T.M. and M.F. Boyle, Delirium. *BMJ*, 2002. 325(7365): p. 644–7.
15. Adamis, D., et al., Delirium scales: A review of current evidence. *Aging Ment Health*, 2010. 14(5): p. 543–55.
16. Wong, C.L., et al., Does this patient have delirium?: value of bedside instruments. *JAMA*, 2010. 304(7): p. 779–86.
17. Inouye, S.K., et al., Clarifying confusion: the confusion assessment method. A new method for detection of delirium. *Ann Intern Med*, 1990. 113(12): p. 941–8.
18. Ely, E.W., et al., Delirium in mechanically ventilated patients: validity and reliability of the confusion assessment method for the intensive care unit (CAM-ICU). *JAMA*, 2001. 286(21): p. 2703–10.
19. Ely, E.W., et al., Evaluation of delirium in critically ill patients: validation of the Confusion Assessment Method for the Intensive Care Unit (CAM-ICU). *Crit Care Med*, 2001. 29(7): p. 1370–9.
20. Bergeron, N., et al., Intensive Care Delirium Screening Checklist: evaluation of a new screening tool. *Intensive Care Med*, 2001. 27(5): p. 859–64.
21. Luetz, A., et al., Different assessment tools for intensive care unit delirium: which score to use? *Crit Care Med*, 2010. 38(2): p. 409–18.
22. Gaudreau, J.D., et al., Fast, systematic, and continuous delirium assessment in hospitalized patients: the nursing delirium screening scale. *J Pain Symptom Manage*, 2005. 29(4): p. 368–75.
23. Breitbart, W., et al., The Memorial Delirium Assessment Scale. *J Pain Symptom Manage*, 1997. 13(3): p. 128–37.
24. Ouimet, S., et al., Subsyndromal delirium in the ICU: evidence for a disease spectrum. *Intensive Care Med*, 2007. 33(6): p. 1007–13.
25. Cole, M., et al., The prognostic significance of subsyndromal delirium in elderly medical inpatients. *J Am Geriatr Soc*, 2003. 51(6): p. 754–60.
26. National Clinical Guideline Centre. Delirium: diagnosis, prevention and management. [cited 2012 Mar 8]; Available from: <http://www.nice.org.uk/nicemedia/live/13060/49908/49908.pdf>.
27. Inouye, S.K., et al., A multicomponent intervention to prevent delirium in hospitalized older patients. *N Engl J Med*, 1999. 340(9): p. 669–76.
28. Marcantonio, E.R., et al., Reducing delirium after hip fracture: a randomized trial. *J Am Geriatr Soc*, 2001. 49(5): p. 516–22.

29. Girard, T.D., P.P. Pandharipande, and E.W. Ely, Delirium in the intensive care unit. *Crit Care*, 2008. 12 Suppl 3: p. S3.
30. Kalisvaart, K.J., et al., Haloperidol prophylaxis for elderly hip-surgery patients at risk for delirium: a randomized placebo-controlled study. *J Am Geriatr Soc*, 2005. 53(10): p. 1658–66.
31. Prakanrattana, U. and S. Prapaitrakool, Efficacy of risperidone for prevention of postoperative delirium in cardiac surgery. *Anaesth Intensive Care*, 2007. 35(5): p. 714–9.
32. Hakim, S.M., A.I. Othman, and D.O. Naoum, Early treatment with risperidone for subsyndromal delirium after on-pump cardiac surgery in the elderly: a randomized trial. *Anesthesiology*, 2012. 116(5): p. 987–97.
33. Larsen, K.A., et al., Administration of olanzapine to prevent postoperative delirium in elderly joint-replacement patients: a randomized, controlled trial. *Psychosomatics*, 2010. 51(5): p. 409–18.
34. Teslyar, P., et al., Prophylaxis with antipsychotic medication reduces the risk of post-operative delirium in elderly patients: a meta-analysis. *Psychosomatics*, 2013. 54(2): p. 124–31.
35. Liptzin, B., et al., Donepezil in the prevention and treatment of post-surgical delirium. *Am J Geriatr Psychiatry*, 2005. 13(12): p. 1100–6.
36. Sampson, E.L., et al., A randomized, double-blind, placebo-controlled trial of donepezil hydrochloride (Aricept) for reducing the incidence of postoperative delirium after elective total hip replacement. *Int J Geriatr Psychiatry*, 2007. 22(4): p. 343–9.
37. Gamberini, M., et al., Rivastigmine for the prevention of postoperative delirium in elderly patients undergoing elective cardiac surgery—a randomized controlled trial. *Crit Care Med*, 2009. 37(5): p. 1762–8.
38. Pandharipande, P.P., et al., Effect of sedation with dexmedetomidine vs lorazepam on acute brain dysfunction in mechanically ventilated patients: the MENDS randomized controlled trial. *JAMA*, 2007. 298(22): p. 2644–53.
39. Pandharipande, P.P., et al., Effect of dexmedetomidine versus lorazepam on outcome in patients with sepsis: an a priori-designed analysis of the MENDS randomized controlled trial. *Crit Care*, 2010. 14(2): p. R38.
40. Ruokonen, E., et al., Dexmedetomidine versus propofol/midazolam for long-term sedation during mechanical ventilation. *Intensive Care Med*, 2009. 35(2): p. 282–90.
41. Shehabi, Y., et al., Prevalence of delirium with dexmedetomidine compared with morphine based therapy after cardiac surgery: a randomized controlled trial (DEXmedetomidine COmpared to Morphine-DEXCOM Study). *Anesthesiology*, 2009. 111(5): p. 1075–84.
42. Riker, R.R., et al., Dexmedetomidine vs midazolam for sedation of critically ill patients: a randomized trial. *JAMA*, 2009. 301(5): p. 489–99.
43. Maldonado, J.R., et al., Dexmedetomidine and the reduction of postoperative delirium after cardiac surgery. *Psychosomatics*, 2009. 50(3): p. 206–17.
44. Tan, J.A. and K.M. Ho, Use of dexmedetomidine as a sedative and analgesic agent in critically ill adult patients: a meta-analysis. *Intensive Care Med*, 2010. 36(6): p. 926–39.
45. Inouye, S.K., Delirium in older persons. *N Engl J Med*, 2006. 354(11): p. 1157–65.
46. Bourne, R.S. and G.H. Mills, Melatonin: possible implications for the postoperative and critically ill patient. *Intensive Care Med*, 2006. 32(3): p. 371–9.
47. Siddiqi, N., et al., Interventions for preventing delirium in hospitalised patients. *Cochrane Database Syst Rev*, 2007(2): p. CD005563.
48. Bryson, G.L. and A. Wyand, Evidence-based clinical update: general anesthesia and the risk of delirium and postoperative cognitive dysfunction. *Can J Anaesth*, 2006. 53(7): p. 669–77.
49. Sieber, F.E., et al., Sedation depth during spinal anesthesia and the development of postoperative delirium in elderly patients undergoing hip fracture repair. *Mayo Clin Proc*, 2010. 85(1): p. 18–26.
50. Pandharipande, P., et al., Lorazepam is an independent risk factor for transitioning to delirium in intensive care unit patients. *Anesthesiology*, 2006. 104(1): p. 21–6.
51. Silverstein, J.H., et al., Central nervous system dysfunction after noncardiac surgery and anesthesia in the elderly. *Anesthesiology*, 2007. 106(3): p. 622–8.
52. Vljakovic, G.P. and R.P. Sindjelic, Emergence delirium in children: many questions, few answers. *Anesth Analg*, 2007. 104(1): p. 84–91.
53. Lepouse, C., et al., Emergence delirium in adults in the post-anaesthesia care unit. *Br J Anaesth*, 2006. 96(6): p. 747–53.
54. Radtke, F.M., et al., Risk factors for inadequate emergence after anesthesia: emergence delirium and hypoactive emergence. *Minerva Anesthesiol*, 2010. 76(6): p. 394–403.
55. Fong, H.K., L.P. Sands, and J.M. Leung, The role of postoperative analgesia in delirium and cognitive decline in elderly patients: a systematic review. *Anesth Analg*, 2006. 102(4): p. 1255–66.
56. Bourne, R.S., et al., Drug treatment of delirium: past, present and future. *J Psychosom Res*, 2008. 65(3): p. 273–82.
57. Seitz, D.P., S.S. Gill, and L.T. van Zyl, Antipsychotics in the treatment of delirium: a systematic review. *J Clin Psychiatry*, 2007. 68(1): p. 11–21.
58. Menza, M.A., et al., Decreased extrapyramidal symptoms with intravenous haloperidol. *J Clin Psychiatry*, 1987. 48(7): p. 278–80.
59. U.S. Food and Drug Administration. Information for Healthcare Professionals: Haloperidol (marketed as Haldol, Haldol Decanoate and Haldol Lactate). [cited 2012 Mar 8]; Available from: <http://www.fda.gov/Drugs/DrugSafety/PostmarketDrugSafetyInformationforPatientsandProviders/DrugSafetyInformationforHealthcareProfessionals/ucm085203.htm>.
60. Skrobik, Y.K., et al., Olanzapine vs haloperidol: treating delirium in a critical care setting. *Intensive Care Med*, 2004. 30(3): p. 444–9.
61. Breitbart, W., A. Tremblay, and C. Gibson, An open trial of olanzapine for the treatment of delirium in hospitalized cancer patients. *Psychosomatics*, 2002. 43(3): p. 175–82.
62. Boettger, S. and W. Breitbart, Atypical antipsychotics in the management of delirium: a review of the empirical literature. *Palliat Support Care*, 2005. 3(3): p. 227–37.
63. Kim, S.W., et al., Risperidone versus olanzapine for the treatment of delirium. *Hum Psychopharmacol*, 2010. 25(4): p. 298–302.
64. Devlin, J.W., et al., Efficacy and safety of quetiapine in critically ill patients with delirium: a prospective, multicenter, randomized, double-blind, placebo-controlled pilot study. *Crit Care Med*, 2010. 38(2): p. 419–27.
65. Lonergan, E., et al., Antipsychotics for delirium. *Cochrane Database Syst Rev*, 2007(2): p. CD005594.

66. U.S. Food and Drug Administration. Public Health Advisory: Deaths with Antipsychotics in Elderly Patients with Behavioral Disturbances. [cited 2012 Mar 8]; Available from: <http://www.fda.gov/Drugs/DrugSafety/PostmarketDrugSafetyInformationforPatientsandProviders/DrugSafetyInformationforHeathcareProfessionals/PublicHealthAdvisories/ucm053171.htm>.
67. Breitbart, W., et al., A double-blind trial of haloperidol, chlorpromazine, and lorazepam in the treatment of delirium in hospitalized AIDS patients. *Am J Psychiatry*, 1996. 153(2): p. 231–7.
68. Alici-Evcimen, Y. and W. Breitbart, An update on the use of antipsychotics in the treatment of delirium. *Palliat Support Care*, 2008. 6(2): p. 177–82.
69. Han, C.S. and Y.K. Kim, A double-blind trial of risperidone and haloperidol for the treatment of delirium. *Psychosomatics*, 2004. 45(4): p. 297–301.
70. Sasaki, Y., et al., A prospective, open-label, flexible-dose study of quetiapine in the treatment of delirium. *J Clin Psychiatry*, 2003. 64(11): p. 1316–21.
71. Reade, M.C., et al., Dexmedetomidine vs. haloperidol in delirious, agitated, intubated patients: a randomised open-label trial. *Crit Care*, 2009. 13(3): p. R75.
72. van Eijk, M.M., et al., Effect of rivastigmine as an adjunct to usual care with haloperidol on duration of delirium and mortality in critically ill patients: a multicentre, double-blind, placebo-controlled randomised trial. *Lancet*, 2010. 376(9755): p. 1829–37.
73. Lonergan, E., J. Luxenberg, and A. Areosa Sastre, Benzodiazepines for delirium. *Cochrane Database Syst Rev*, 2009(4): p. CD006379.
74. DOCUMENT SA, *Medikamenten Kompendium der Schweiz*. 2011, Basel: DOCUMENT SA.
75. DeBellis, R., et al., Management of delirium tremens. *J Intensive Care Med*, 2005. 20(3): p. 164–73.
76. Mayo-Smith, M.F., et al., Management of alcohol withdrawal delirium. An evidence-based practice guideline. *Arch Intern Med*, 2004. 164(13): p. 1405–12.
77. van Gool, W.A., D. van de Beek, and P. Eikelenboom, Systemic infection and delirium: when cytokines and acetylcholine collide. *Lancet*, 2010. 375(9716): p. 773–5.