

Verschluss von Vorhofohren: nützliche Alternative zur oralen Antikoagulation?

Fermeture de l'auricule gauche: alternative utile à l'anticoagulation orale?

Literatur / Références

- 1 Wolf PA et al. Atrial fibrillation as an independent risk factor for stroke:the Framingham Study. Stroke 1991;22:983–59
- 2 Ezekowitz MD et al. Warfarin in the prevention of stroke associated with nonrheumatic atrial fibrillation. Veterans affairs stroke prevention in nonrheumatic atrial fibrillation investigators. N Engl J Med 1993;327:1406–12
- 3 Gage BF et al. Validation of clinical classification schemas for predicting stroke: results from the National Registry of Atrial Fibrillation. JAMA 2001;285:2864–70
- 4 Petersen P et al. Placebo-controlled, randomized trial of warfarin and aspirin for prevention of thromboembolic complications in chronic atrial fibrillation. The Copenhagen AFASAK study. Lancet 1989;28:175–9
- 5 The effect of low-dose warfarin on the risk of stroke in patients with nonrheumatic atrial fibrillation. The Boston Area Anticoagulation Trial for Atrial Fibrillation Investigators. N Engl J Med 1990;323:1505–11
- 6 Connolly et al. Dabigatran versus Warfarin in patients with atrial fibrillation. N Engl J Med 2009;361:1139–51
- 7 Granger et al. Apixban versus warfarin in patients with atrial fibrillation. N Engl J Med 2011;365:981–992.
- 8 Patel MR et al. Rivaroxaban versus warfarin in nonvalvular atrial fibrillation. N Eng J Med 2011;365:883–91
- 9 Larsen HR. Left atrial appendage: useless or priceless? www.afibbers.org
- 10 Kanderian AS et al. Success of surgical left atrial appendage closure: assessment by transoesophageal echokardiography J Am Coll Cardiol 2008;52:924–29
- 11 Hanke et al. Operative Verfahren zum Verschluss des linken Vorhofohrs bei Patienten mit Vorhofflimmern Herzschr Elektrophys 2013;24:53–57
- 12 Holmes DR et al. Percutaneous closure of left atrial appendage versus warfarin therapy for prevention of stroke in patients with atrial fibrillation: a randomised non-inferiority trial Lancet 2009;374:534–42
- 13 Reddy et al. Left atrial appendage closure with the Watchman device in patients with a contraindication for oral anti-coagulation. J Am Coll Cardiol 2013;61:2551–6
- 14 Stroke Prevention in atrial fibrillation study. Final results. Circulation 1991;84:527–39
- 15 Warfarin versus aspirin for prevention of thromboembolism in atrial fibrillation: Stroke Prevention Atrial Fibrillation II Study. Lancet 1994;343:687–91
- 16 Adjusted-dose warfarin low-intensity, fixed-dose warfarin plus aspirin for high-risk patients with atrial fibrillation: Stroke Prevention in Atrial Fibrillation III randomised clinical trial. Lancet 1996;348:633–8